

ORDINANCE NO. C-75-76

AN ORDINANCE TO AMEND SECTION 939.08 ENTITLED
"SEWER CONNECTIONS" TO CLARIFY CERTAIN ITEMS
INCLUDED IN THE SCHEDULE OF AVERAGE DAY GALLONAGE
TABLE

WHEREAS, Section 939.08 of the Grove City Code of Ordinances needs
some clarification;

NOW, THEREFORE, BE IT ORDAINED BY THE CITY OF GROVE CITY, STATE OF
OHIO, THAT

SECTION 1. The entries of Section 939.08 (b) entitled "Schedule
of Average Day Gallonage" of the Grove City Code of Ordinances which reads
in part:

<u>Place</u>	<u>Gallons per day</u>
Assembly Halls	2 per seat
Single Family dwelling, 1 family per building	400 per family

IS HEREBY AMENDED TO READ:

<u>Place</u>	<u>Gallons per day</u>
Assembly Halls (including theaters, auditoriums and assembly halls not otherwise shown herein)	2 per seat
Single Family, Two Families (duplexes, doubles and twin singles) and Three family buildings	400 per family

SECTION 2. Section 939.08 (b) is further amended by adding the
following note:

*Note (d): The connection fee for a building with more than one of
the listed uses (places) shall be computed based on the
total gallons per day derived from adding together the
gallons per day for each use of that building. Sewer
connections for which fees have been paid in the amount
required at the time the permit to connect or tap was
issued shall be permitted without additional fees being
charged, except when an existing connection will service
a use that contributes more sewage than the use designated
on the permit, in which case, the difference between the
current connection fees based on the original use and
the proposed use shall be paid to the City.

SECTION 3. This ordinance shall take effect at the earliest opportunity
allowed by law.

Submitted: 9/7/76

Passed: 9/20/76

Effective: 10/20/76

Attest: June A. Cook
June A. Cook, Clerk of Council

I Certify that this ordinance is correct as to form.

Ronald E. Plymale
Ronald E. Plymale, Director of Law